

INSTRUCTION MANUAL
LIVIO330




After unpacking the compressed sofa, please allow it to rest for **72 HOURS** to fully regain its shape and loft




For longer use


Re-tighten bolts every 6 months by using the enclosed allen-key.
*Using an electric drill can damage the chair. Please re-tighten bolts manually.



Safety Information



If there are any problems, do not hesitate to e-mail us. Our goal is to create a perfect customer experienceLet us know if you have any feedback.Your comment motivates us to become a better team.




CAUTION:

* Before using the chair, check to ensure that all bolts are fully tightened.


NOTE: 1. All bolts are 100% tightened.


(A1)*1 (A2) *1



5 First, peel off the protective fabric cover from the seat (A1), then place the backrest（A2） on top of the seat（ A1 ）and press the felt surfaces together to bond.


(A1)*1 (A2) *1






6 Next, peel off the protective fabric cover from the underside of seat （A1）. Then mate the felt on the backrest (A2) with the felt on the underside of the seat（ A1 ）


Package List




(A1)*1 Seat



(A2) *1 Backrest



(B)*2 Arm / Side Frame




C1

C2

(C)*2 Wooden Connector Bar



(D)*1 Wooden Rear Connector Bar




(E)*1 Slat Seat Support



(F)*4 Felt pads



(O)*10 Plugs



(L)*1 Wrench



M8X40mm

(I)*7 Bolts




M8X50mm

(H)*3Bolts


Assembly Instruction

(B)*2 (C1)*1 (C2)*1
(I)* 7 (L)*1




1

(D)*1
(H)*3 (L)*1




2

(E)*1 (F)*4



3

(O)*10



4