
AFTER THE INSTALLATION：

Walk around and inspect the building periodically to make sure all components are still firmly secured and the whole building is well supported. Check all bolts and nuts as well as all connection points to make sure they are all in good position. Check the base plates, adjust the ropes and tie downs if required and clean the cover regularly.

Snow accumulating on the fabric cover must be removed as soon as possible, If snow becomes solid ice on the cover,it will increase the weight on the roof and collapses the building or reduce the life span eventually.
Keep the building on a dry ground most of the time. Do not keep the fabric dirt skirt under water all the time，otherwise the fabric will deteriorate.

We strongly recommend you remove any snow from the roof immediately. Do not leave any snow load on the root overnight.Keep 3 feet of clearance on all sides at all times. Do not allow snow to accumulate and pile up on the sides of the building. Otherwise the push from the sides toward inside will make the building collapsed at some point..

Assembly Instructions



Model:2040FT

Recommended Foundation: W6.18XD12.15m

CAUTION:SOME PARTS HAVE SHARP EDGES.CARE MUST BE TAKEN WHEN HANDLING THE VARIOUS PIECES TO AVOID AMISHAP. FOR SAFETY SAKE,PLEASE READ SAFETY INFORMATION PROVIDED IN THIS MANUAL BEFORE BEGINNING CONSTRUCTION.WEAR GLOVES WHEN HANDLING METAL PARTS.

MAIN SPECIFICATIONS :

. Assembly size : W12.15 x L6.18 x H2.1 (m) / 40 x20 x 6.9 (ft)
. Outside width : 12.15 m / 40ft, inside width : 6.18 m /20ft, length : 2.1 m / 6.9 ft
. Ridge peak height : 2.1 m / 6.9 ft

PRIOR TO ASSEMBLY

Please go through the whole instruction manual completely. It is very important to follow your local safety regulations and industry standards during installation. Regulations may include but are not limited to :

- Safety helmets, protective eyewear, and clothing
- Safety harnesses for all elevated workers
- Proper ladder, cage, and safety operation

Check all components and parts before installation. All parts are marked with a part number, please refer to the parts list to ensure you have all parts.

Choose a day with low or no wind to install, it is hard to assemble with heavy wind. Do not make any alterations to the structure. Do not hang any weight on the frame during installation, including parts. We are not responsible for any damages or injuries caused by inappropriate installation, unauthorized modifications or extreme weather.

This building is not intended for human occupancy.

Check the parts list below to make sure all parts are received prior to assembly.

PARTS LIST


Item no.	Reference Image	Qty.
1		1
1-1		4
1-2		4
2		4
3		1
4		1
5		4
6		1
7		20
8		10
9		10
10		4
11		4
12		2
13		4

Item no.	Reference Image	Qty.
14		4
15		2
16		6
17		6
18		3
19		8
20		30
21		10
22		2
23		1
24		1
25		100
26		14
27		14
28		84

PARTS LIST


Item no.	Reference Image	Qty.
29		24
30		4
31		60
32		14
33		10
34		51

FRAME




Step 1


1x1 1-1x4 1-2x4 2x4 3x1 4x1 5x4 6x1 7x20 29x24 30x4 31x40



Step 2


8x10 9x10 31x20 33x10






Step 3

10x4 11x2 12x2 13x4 14x4 15x2 16x6 17x6 18x3 28x84




Step 4

19x8 34x16



Step 5

20x36 34x35



Step 6

21x10 22x2 23x1 24x1 25x100 26x14 27x14 32x14

